



Inner tubes and flaps  
Automotive Sealants  
Tyres

Duše a ochranné vložky  
Automobilové tesnenia  
Pneumatiky

A large, stylized graphic of a tire and wheel is positioned on the right side of the page. The tire is depicted with thick, dark brown, curved lines that suggest its shape and tread. The wheel hub is represented by a grey circular element with a dark brown center. The background of the entire page is a light beige color with a fine, repeating pattern of thin, curved lines, which is more prominent in the lower half of the image.

t-gum

**T-GUM, s.r.o.**  
**kpt. Jaroša 1893/47**  
**020 01 Púchov**  
**Slovakia, Europe**



### More about company

**T-GUM** company was established with aim to succeed in 100 year old tradition of MATADOR brand products production and sale in Europe. Currently, **T-GUM** acts in article of inner tubes and flaps sale under its own brand. **T-GUM** was established in the year 2000 with 100% share of Slovak subject. **T-GUM** works on territorial market of Central European and South European countries. Such as: Slovak republic, Czech republic, Poland, Hungary, Bulgaria and Romania. **T-GUM** has well-established system of quality according to standards STN EN ISO 9001:2000. **T-GUM** is certified by Quality Management Certificate from DET NORSKE VERITAS company.

### Inner tubes and flaps

Tubes are produced on the basis of natural as well as butyl rubber. Quality of produced products meets strict quality requirements. Quality is constantly judged according to state standards by certified test room SKTC-111, company VIPOTEST, s.r.o. Partizanske.

### Automotive Sealants

Automotive Sealants presents self-vulcanized mastic sealants intended also for another associate industries (building industry, naval industry, etc.) In cooperation with Korean partner, there is placed production of 9 different types of sealants in T-GUM company. Types of Sealants: B.P.R., N.F.W., SPOT, LOW MASTIC, HEAVY MASTIC, DEADNER, WHITE SEALER, OILER, R.P.P.

### O firme

Spoločnosť **T-GUM** bola založená s cieľom pokračovania v 100 ročnej tradícii výroby a predaja produktov značky MATADOR v Európe. V súčasnosti pôsobí v oblasti predaja duší a ochranných vložiek pod vlastnou značkou. Spoločnosť **T-GUM** bola založená v roku 2000 so 100%-tným podielom slovenského subjektu. Teritoriálne pôsobí v tržnom priestore krajín strednej a južnej Európy. Sú to: Slovensko, Čechy, Poľsko, Maďarsko, Bulharsko a Rumunsko. **T-GUM** má vybudovaný, zavedený systém kvality podľa STN EN ISO 9001:2000. Je certifikovaná certifikátom manažérstva kvality spoločnosťou DET NORSKE VERITAS.

### Duše a ochranné vložky

Duše sú vyrábané na báze prírodného i butylového kaučuku. Kvalita vyrobených produktov spĺňa prísne požiadavky na kvalitu značky MATADOR. Kvalita je trvale posudzovaná v zmysle noriem štátnej certifikovanej skúšobne SKTC-111 VIPOTEST, s.r.o. Partizanske.

### Automobilové tesnenia

Automobilové tesnenia predstavujú samovulkanizujúce tesniace tmely určené i pre ďalšie druhy priemyslu (stavebný, lodiarsky, ...) V priestoroch spoločnosti sa vyrába 9 druhov tesniacich tmelov. Sú to tesnenia typu: B.P.R., N.F.W., SPOT, LOW MASTIC, HEAVY MASTIC, DEADNER, WHITE SEALER, OILER, R.P.P.

## Inner tubes - Duše

SIZE ROZMER	VALVE VENTIL	PCS/ CTN KS/ KAR	TIRE SIZE APPLICATION ROZMER PNEUMATIKY
<b>PASSENGER CAR TUBES - OSOBNÉ DUŠE</b>			
KI 1220 135/145R12, 145/155/70R12	TR13/TR15	40	4,00/ 4,80/ 5,00 5,20/ 5,50 - 12
KI 1230 155R12	TR13/TR15	33	5,60/ 6,00 - 12
KI 1320 135/145R13, 145/155/70R13	TR13/TR15	38	5,20 /5,50 - 13
KI 1330 155/165R13, 165/175/70R13	TR13/TR15	30	5,60/ 5,90 /6,00/ 6,15 - 13
KI 1340 175/185R13, 185/195/70R13	TR13/TR15	28	6,40/ 6,70/ 7,00/ 7,25/ 7,45 - 13
KI 1430 155/165R14, 165/175/70R14	TR13/TR15	30	5,60/ 5,90/ 6,00 - 14
KI 1440 175/185R14, 185/195/70R14	TR13/TR15	25	6,00/ 6,40/ 6,45/ 6,50/ 6,70/ 7,00 - 14
KI 1460 195/205R14, 205/215/70R14	TR13/TR15	25	7,50/ 7,75 - 14
KI 1530 155/165R15, 165/175/70R15	TR13/TR15	30	5,90/ 6,00/ 6,40/ 7,10 - 15
KI 1630 175/185R16	TR13/TR15	25	6,00/ 6,50 - 16
KI 1640 195/205R16	TR13/TR15	20	7,00/ 7,50 - 16
145R10	TR13/TR15	40	
125R12	TR13/TR15	40	
135/145R14, 145/155/70R14	TR13/TR15	35	
125R15	TR13/TR15	35	
135/145R15, 145/155/70R15	TR13/TR15	30	
175/185R15, 195/205/70R15	TR13/TR15	25	
195/205R15, 215/225/70R15	TR13/TR15	22	
215/225R15	TR13/TR15	20	
215/225R16	TR13/TR15	18	
<b>MOTO TUBES - MOTO DUŠE</b>			
2,75/3,00-10	TR4	50	3,00 - 10; 90/90 - 10
3,50/4,00-10	TR4	50	3,50-10; 4,00-10; 100/90-10; 110/90-10
3,25/3,50-12	TR4	50	3,25-12; 3,50-12; 100/90-12
3,00-14	TR4	50	3,00-14; 90/100-14
2,25/2,50-16	TR4	50	2¼-16; 60/100-16
2,50/2,75-16	TR4	50	2½-16; 2¾-16; 2,75-16

SIZE ROZMER	VALVE VENTIL	PCS/ CTN KS/ KAR	TIRE SIZE APPLICATION ROZMER PNEUMATIKY
3,00/3,25-16	TR4	50	3,25-16; 80/90-16; 90/90-16; 90/100-16
3,50-16	TR4	50	3,50 - 16
2,25-17	TR4	50	2¼ - 17; 60/100-17
3,00/3,25-17	TR4	50	90/100 - 17
4,00-17	TR4	50	4,00-17; 120/90-17; 120/80-17; 130/80-17
2,50/2,75/3,00-18	TR4	50	2,75-18; 3,00-18
3,25/3,50-18	TR4	50	3,25-18; 3,50-18; 4,10-18; 90/90-18; 90/100-18; 120/80 18; 110/80-18; 110/90-18; 100/100-18;110/100-18; 120/90-18; 130/80-18
4,00/4,75-18	TR4	50	4,00-18; 4,50-18; 110/90-18; 120/90-18; 110/100-18; 130/90-18; 140/80-18
2,25-19	TR4	50	2¼ - 19
2,50/2,75-19	TR4	50	2,50 - 19
3,00/3,50-19	TR4	50	3,00-19; 3,50-19; 3,75-19; 80/90-19; 90/90-19; 70/100-19; 100/90-19; 110/80-19; 110/90-19; 120/80-19
4,00/4,50-19	TR4	50	4,00-19; 120/90-19; 120/80-19; 130/80-19
2,75/3,00-21	TR4	50	2,75-21; 3,00-21; 80/90-21; 80/100-21; 90/90-21
2,75-22	TR4	50	2,75 - 22
2,75/3,00-23	TR4	50	2,75 - 23
<b>MOTO TUBES FOR SPORT REASONS MOTO DUŠE PRE ŠPORTOVÉ ÚČELY</b>			
3,50-16 CROSS	TR6	12	3,50 - 16
4,00-17 CROSS	TR6	12	4,00 - 17; 120/90 - 17; 120/80 - 17; 130/80 - 17
3,25/4,10-18 CROSS	TR6	12	3,25 - 18; 3,50 - 18; 4,10 - 18; 90/90 - 18; 90/100 - 18; 120/80 - 18; 110/80 - 18; 110/90 - 18; 100/100 - 18; 110/100 - 18; 120/90 - 18
4,00/5,10-18 CROSS	TR6	12	4,00 - 18; 4,50 - 18; 110/90 - 18; 120/90 - 18; 110/100 - 18; 130/90-18; 140/80-18
3,25/3,50-19 CROSS	TR6	12	3,50 - 19; 3,75 - 19; 100/90-19; 110/80-19; 110/90-19; 120/80-19
4,00-19 CROSS	TR6	12	4,00 - 19; 120/90 - 19; 120/80-19; 130/80-19
2,50/2,75-21 CROSS	TR6	22	2,75 - 21; 3,00 - 21; 80/90-21; 80/100-21; 90/90 - 21

SIZE ROZMER	VALVE VENTIL	PCS/CTN KS/KARTÓN
<b>INDUSTRIAL TUBES - PRIEMYSELNÉ DUŠE</b>		
23X5	V3-02-8	14
4.00-8	TR13	45
4.00-8	JS2 , TR87	40
5.00-8	TR244	35
5.00-8	TR13	40
6.00-9	TR13	30
6.00-9	JS2/TR87	25
400/450-10	TR13	40
5.00-10	TR13	40
6.50-10	TR75A	25
10.0/80-12	TR15	15
4.00-12	TR13	45
6.00-12	TR13	35
7.00-12	TR13/TR15	23
7.00-12	TR75A	20
9.00-13	TR15	16
200/60-14.5	TR15	25
4.00/5.00-15	TR15	35
29X12.50-15	TR15	14
31X15.50-15	TR15	12
690/175-15	TR13	25
690/180-15	TR13	25
12.5/80-15	TR15	12
10.0/75-15.3	TR15	14
11.5/80-15.3	TR15	12
400/60-15.5	TR15	8
400/60-15.5	TR218A	8
10.5/65-16	TR15	12
13.0/75-16	TR15	8
14.0/65-16	TR15	8
13.0/75-17	TR15	7
15.0/55-17	TR15	7
19.0/45-17	TR15	4
500/50-17	TR15	4
10.5/80-18	TR15	10
10.5/80-18	TR218A	10
12.5/80-18	TR15	8
13.0/65-18	TR15	8
14.5/80-18	TR15	6
14.5/80-18	TR218A	6
15.0/70-18	TR15	6
15.0/70-18	TR218A	5
4.00-19	TR15	25
6.00-19	TR15	18
8.00-19	TR15	12
10.5/80-20	TR15	10
10.5/80-20	TR218A	10
12.5/80-20	TR15	7
12.5/80-20	TR218A	7
14.5/80-20	TR15	5
14.5/80-20	TR218A	5
16.0/70-20	TR15	5
16.0/70-20	TR218A	5

SIZE ROZMER	VALVE VENTIL	PCS/CTN KS/KARTÓN
16.0/70-20	V3-04-5	5
20.0/70-20	TR15	3
20.0/70-20	TR150	3
20.0/70-20	V3-06-7	3
<b>LOW SECTION HEIGHT TUBES - NÍZKO SEKČNÉ DUŠE</b>		
16X6.50/7.50-8	TR13	30
18X7-8	TR244	30
18X7.50/8.50-8	TR13/TR15	20
23X8.50-12	TR13	20
26X12.00-12	TR13	15
27X9.50/10.50-12	TR15	15
27X8.50-15	TR15	20
<b>LIGHT TRUCK TUBES - LAHKÉ NÁKLADNÉ DUŠE</b>		
7.50-15	V3-04-2	16
8.15-15	TR75A	16
8.25-15	TR75A	14
10.00-15	V3-04-2	10
10.00-16	TR15	10
10.00-16	TR78A	8
11.00-16	TR78A	8
11.00-16	TR15	8
4.00/4.50-16	TR15	30
5.00/5.50-16	TR15	28
6.00/6.50-16	TR15	25
7.50-16	TR15	18
7.00/7.50-16	TR15	20
7.00/7.50-16	V3-02-7	16
8.25-16	V3-02-7	12
9.00/10.00-16	TR15	12
9.00/10.00-16	TR177A	12
7.50-18	TR15	14
<b>FARM TUBES - POĽNOHOSPODÁRSKE DUŠE</b>		
10 - 15 HS 10.0/75-15.3	TR218A	14
11 - 15 HS 11.5/80-15.3	TR218A	12
12 - 18 HS 12.5/80-18	TR218A	8
6.00/6.50-20	TR15	17
7.50-20	TR15	14
9.5/9-20	TR218A	10
18.00-22.5	TR218A	3
18-22.5	TR218A	4
8.3/8-24	TR218A	10
9.5/9-24	TR218A	10
11.2/10-24	TR218A	7
12.4/11-24	TR218A	6
13.6/12-24	TR218A	6
14.9/13-24	TR218A	5
16.9/14-24	TR218A	5
14.9/13-26	TR218A	5
16.9/14-26	TR218A	3
18.4/15-26	TR218A	3
23.1-26	TR218A	2
28L-26	TR218A	1
11.2/10-28	TR218A	7
12.4/11-28	TR218A	5

SIZE ROZMER	VALVE VENTIL	PCS/CTN KS/KARTÓN
13.6/12-28	TR218A	5
14.9/13-28	TR218A	4
16.9/14-28	TR218A	3
18.4/15-28	TR218A	3
9.5/9-28	TR218A	7
14.9/13-30	TR218A	4
16.9/14-30	TR218A	3
18.4/15-30	TR218A	2
23.1-30	TR218A	2
11.2/10-32	TR218A	5
12.4/11-32	TR218A	5
24.5-32	TR218A	1
30.5-32	TR218A	1
8.3/8-32	TR218A	8
9.5/9-32	TR218A	8
16.9/14-34	TR218A	3
18.4/15-34	TR218A	2
20.8-34	TR218A	2
23.1-34	TR218A	1
11.2/10-36	TR218A	6
12.4/11-36, 13.6/12-36	TR218A	4
8.3/8-36	TR218A	6
9.5/9-36	TR218A	6
11.2/10-38	TR218A	4
12.4/11-38	TR218A	4
13.6/12-38	TR218A	4
14.9/13-38	TR218A	4
15.5-38	TR218A	4
16.9/14-38	TR218A	3
18.4/15-38	TR218A	2
20.8-38	TR218A	2
18.4/15-42	TR218A	2
20.8-44	TR218A	2
9.5/9-42	TR218A	5
11.2/10-44	TR218A	5
9.5/9-44	TR218A	5
12.4/11-46	TR218A	4
11.2/10-48	TR218A	4
9.5/9-48	TR218A	5
<b>WIDE BASE TUBES - ŠIROKO ZÁKLADNOVÉ DUŠE</b>		
10-16.5	TR15	14
12-16.5	TR15	10
15,00-21	TRJ1175+	3
10-22.5	V3-21-1	6
12-22.5	V3-21-1	6
15R22.5	V3-21-1	4
18.00-22.5	TR300	4
<b>TRUCK &amp; BUS TUBES - NÁKLADNÉ &amp; AUTOBUSOVÉ DUŠE</b>		
6.50-20	TR11	17
6.50-20	V3-04-2	14
7.50-20	TR177A	12
8.25-20	V3-06-6	10
9.00-20	V3-06-8	9
10.00-20	V3-06-16	7

SIZE ROZMER	VALVE VENTIL	PCS/CTN KS/KARTÓN
11.00-20	V5567	6
12.00-20	V5567	5
13.00-20	V3-06-8	4
14.00-20	V3-06-8	3
12.00-24	V5567	5
<b>OFF THE ROAD TUBES - TERÉNNÉ DUŠE</b>		
16.00-20	V3-06-8	3
14.00-24	TRJ1175C	4
16.00-24	TRJ1175C	3
15.5-25	TRJ1175C	4
16.00-25	TRJ1175C	3
17.5-25	TRJ1175C	3
18.00-25	TRJ1175C	2
20.5-25	TRJ1175C	2
23.5-25	TRJ1175C	2
26.5-25	TRJ1175C	1
1800-33	TRJ1175C	1

Stuffing programme:

1. Packing: each tube is wrapped by poly-vinyl bag and several pieces of tubes are packed in a carton
2. 585 cartons are available for 20ft container 1170 cartons are available for 40ft container

Plniaci program:

1. Balenie: každá duša je zabalená zvlášť do poly-vinylového sáčku a niekoľko duší je naraz balených do kartóna
2. 585 kartónov sa zmestí do 20 ft kontajneru 1170 kartónov sa zmestí do 40ft kontajneru

## Flaps - Ochranné vložky

SIZE ROZMER		PCS/CTN KS/KAR	TIRE SIZE APPLICATION ROZMER PNEUMATIKY
<b>PASSENGER CAR TUBES - OSOBNÉ DUŠE</b>			
1000/1200-20	FLAP	10	11,00 R 20; 12,00 R 20; 13,00 - 20
900/1000-20	FLAP	10	10,00 - 20; 11,00 - 20
825/900-20	FLAP	10	8,25 - 20; 9,00 - 20
400/500-8	FLAP	12	4,00 - 8; 5,00 - 8
600/650-9	FLAP	12	6,00 - 9; 6,50 - 9
650/750-10	FLAP	12	6,50 - 10; 7,50 - 10
700-12	FLAP	12	7,00 - 12
650/825-15	FLAP	12	6,50 / 8,25 - 15
8.15-15	FLAP	12	8,15 - 15
8.25-15	FLAP	12	8,25 - 15
1000/1100-15	FLAP	10	
7.50-16 6.9 inch	FLAP	10	7,50/10,50 - 16
1300/1400-20	FLAP	8	
15,00-21	FLAP	/	
1600-20/21	FLAP	5	
1200-24	FLAP	6	
17.5-25	FLAP	5	
18.00-25	FLAP	5	
20.5-25	FLAP	3	
23.5-25	FLAP	3	
26.5-25	FLAP	2	

Stuffing programme: 585 cartons are available for 20ft container 1170 cartons are available for 40ft container

Plniaci program: 585 kartónov sa zmestí do 20 ft kontajneru 1170 kartónov sa zmestí do 40ft kontajneru

# Used valves - Používané ventily

Description Popis	TR	ETRTO	A (mm)	D (mm)
V 583/11,6	TR 13	V 2.01.1	38	11,5
V 583/16,5	TR 15	V 2.01.2	38	16,5
V 5564/57	Spud 57	V 3.08.4	15	57
V 5564/70	Spud 70	V 3.08.2	17	70
V 54525	TR 218A	V 4.01.1	47,5	27



Description Popis	TR	ETRTO	A (mm)	B (mm)	α°
GW4B-50x65				65	50
V 3.02.2		V 3.02.2	22,5	43	120
V 3.02.3		V 3.02.3	33	44,5	95
V 3.02.5		V 3.02.5	20,5	47,5	90
V 3.02.7		V 3.02.7	22,5	71,5	100
V 3.02.8	TR77*	V 3.02.8	20,5	89,5	94
V 3.02.9	TR177*	V 3.02.9	20,5	99,5	94
V 3.02.10	TR175*	V 3.02.10	20,5	115	94
V 3.02.11		V 3.02.11	20	126	98
V 3.02.12	TR78*	V 3.02.12	20,5	132	94
V 3.02.13		V 3.02.13	20,5	133,5	90
V 3.02.14	TR178*	V 3.02.14	20,5	138,5	94
V 3.02.15	TR179*	V 3.02.15	20,5	145,5	94
V 3.02.16		V 3.02.16	20,5	149,5	90
V 3.02.17		V 3.02.17	20,5	156,5	90
V 3.02.18		V 3.02.18	22,5	74,5	90
V 3.02.19		V 3.02.19	20,5	60	94
V 3.02.23		V 3.02.23	29,5	66,5	90
V 3.02.24		V 3.02.24	20,5	117	90
V 3.02.27	TR75*	V 3.02.27	20	75	94

Description Popis	TR	ETRTO	A (mm)	B (mm)	C (mm)	α°	β°
V 3.04.1		V 3.04.1	20,5	32	37	90	138
V 5462		V 3.04.2	20,5	38	41,5	90	153
V 5463	TR177*	V 3.04.3	20	59	38,5	94	163
V 5464	TR175*	V 3.04.4	20	74	40	94	144
V 3.04.5		V 3.04.5	20	76	47,5	90	153
V 3.04.6	TR78*	V 3.04.6	20	86	47,5	90	153
V 3.04.10	TR177*	V 3.04.10	20,5	47	53	90	154
V 3.04.11		V 3.04.11	20,5	47	63,5	90	154
V 3.04.17		V 3.04.17	20	65	45	90	160
V 3.04.24		V 3.04.24	20	58	47	94	164
V 3.04.25		V 3.04.25	20	80	47	94	160
V 3.04.26		V 3.04.26	20	99	42	99	189

Description Popis	TR	ETRTO	A (mm)	B (mm)	C (mm)	D (mm)	α°	β°	γ°
V 3.06.1	TR177*	V 3.06.1	20,5	30,5	19,5	35,5	90	139	139
V 3.06.2		V 3.06.2	20,5	44,5	12	37,5	90	125	125
V 3.06.3	TR175*	V 3.06.3	20,5	46	20,5	47,5	90	140	140

Description Popis	TR	ETRTO	A (mm)	B (mm)	C (mm)	D (mm)	α°	β°	γ°
V 3.06.5	TR78*	V 3.06.5	20,5	62,5	19,5	49	90	139	139
V 5566	TR179*	V 3.06.6	20	79,5	19,5	37,5	90	139	139
V 3.06.7		V 3.06.7	20,5	45,5	18,5	42,5	90	137	137
V 5568		V 3.06.8	24,5	61,5	14,5	50,5	94	153	153
V 3.06.9		V 3.06.9	20,5	67,5	19,5	54,5	90	139	139
V 3.06.12		V 3.06.12	23,5	71,5	19,5	25,5	90	150	150
V 3.06.14		V 3.06.14	20	50	13	40	94	153	153
V 3.06.15		V 3.06.15	20	60	13	40	94	153	153
V 3.06.16		V 3.06.16	20	62	13	50	94	153	153
V 3.06.17		V 3.06.17	20	75	13	50	94	153	153
V 5567		V 3.06.18							


Popis Description	TR	ETRTO	A (mm)	B (mm)	D (mm)
TRJ 1175C	TRJ 1175	-	34,9	103,5	70



# Automotive Sealants - Automobilové tesnenia

Types of supplied sealants - druhy dodávaných tesnení:

B.P.R., N.F.W., SPOT, LOW MASTIC, HEAVY MASTIC, DEADNER, WHITE SEALER, OILER, R.P.P.





T-GUM, s.r.o.  
kpt. Jaroša 1893/47  
020 01 Púchov  
Slovakia, Europe

Tel.: +421/42/467 73 25  
Fax: +421/42/467 77 09

E-mail:  
Express contact  
Rýchly kontakt  
info@t-gum.sk

Commercial Department  
Obchodný úsek  
obchod@t-gum.sk  
Web:  
www.t-gum.sk

